

A core range of numbered and colour coded masking tapes

Introducing masking made simple.


Now it's easy to choose the best tape to get the job done right.

3M offers a comprehensive range of Masking Tape products which have varying technical properties ranging from basic general purpose to high temperature resistance.

Designed and manufactured to the highest possible quality, our products are typically used to mask, protect, enhance and modify surfaces to improve their functionality.

Choosing the right product for the job is simple.

Our numbered and colour coded range of products making it easy to select the best product for your application.



3M™ Industrial Masking Tapes

3M[™] 101E Value General Purpose Masking Tape 60°C



- Reliable 3M branded masking tape for a wide variety of industrial applications.
- Good solvent resistance and consistent unwind performance.
- Ideal for many tasks including paint masking, bundling, sealing, attaching, labelling, decorating and box sealing.

3M[™] 401E Performance Masking Tape 140°C



- Excellent balance between adhesive transfer resistance and high temperature holding power.
- Superior paper anchorage and paint flaking performance.
- Smooth controlled unwind.

3M[™] 201E Premium General Purpose Masking Tape 80°C



- Suitable for general industrial low temperature paint masking applications paper masking tape suitable for use in low temperature bake ovens.
- Good holding power and resists lifting.

3M[™] 301E Performance Masking Tape 100°C



- A moisture and solvent resistant product for use in medium temperature bake ovens.
- A balanced product that can withstand higher temperatures up to 100°C and is also moisture and solvent resistant.

3M[™] 501E Speciality High Temperature Masking Tape 160°C



- Highest performing paper masking product which will perform up to 160°C.
- Excellent balance between adhesive transfer resistance and high temperature holding power.
- Can withstand repeat bake cycles and is both moisture and solvent resistant.
- Ideal for all high temperature paint baking, fascia painting and pipe coating applications.

101E 60°C 201E 80°C 301E 100°C 401E 140°C 501E 160°C











Learn more about 3M[™] Industrial Masking Tapes at www.3M.co.uk/MaskingMadeSimple or call 0870 60 800 50

Our recommendations on the use of our products are based on tests believed to be reliable but we would ask that you conduct your own tests to determine their suitability for your applications. This is because 3M cannot accept any responsibility or liability direct or consequential for loss or damage caused as a result of our recommendations.

3M Industrial Adhesives & Tapes Division 3M United Kingdom plc 3M Centre, Cain Road Bracknell, Berkshire RG12 8HT Phone: 0870 60 800 50 www.3M.co.uk/MaskingMadeSimple

3M Ireland Limited The Iveagh Building The Park, Carrickmines Dublin 18 Phone: 00353 (01) 280 3555 3M is a trademark of the 3M company. Please recycle. Printed in UK. © 2016, 3M. All rights reserved. J321886 | CJ1219A

