

ARVINA HX2

High-load bearing grease

- Temperature capability up to +140°C
- Excellent load carrying and anti-wear properties
- Highly effective protection against corrosion
- Outstanding resistance to water wash-out

ARVINA HX2	Product Code
400g Cartridge	M310208
450g Tin	M310207
4.5kg Pail	M310245
18kg Pail	M310260




ARVINA MB2

Non-melting, high-load bearing grease

- Temperature capability up to +150°C
- Excellent load carrying and shock-loading properties
- Non-melting bentonite clay thickener
- Highly resistant to water wash-out

Arvina MB2	Product Code
400g Cartridge	M324008
450g Tin	M324007
4.5kg Pail	M324045




ARVINA EH2

Non-melting, high-temperature bearing grease

- Excellent high-temperature capacity up to +230°C
- Good load carrying and anti-wear properties
- Non-melting bentonite clay thickener
- Effective protection against corrosion

Arvina EH2	Product Code
400g Cartridge	M320008
450g Tin	M320007
4.5kg Pail	M320045




ARVINA FM2

Food-grade bearing grease

- Formulated on high purity base oils
- Wide temperature capability -40°C to +150°C
- Highly resistant to water wash-out
- Good oxidation stability provides long-life lubrication
- H1 authorised

Arvina FM2	Product Code
400g Cartridge	M321008
450g Tin	M321007
4.5kg Pail	M321045



ARVINA OG RANGE

ARVINA OGO and ARVINA OG2

High-load open-gear greases

- Excellent extreme pressure and anti-wear performance
- Exceptional mechanical stability extends re-lubrication intervals
- Deploys adhesive self repairing film
- Highly resistant to water wash-off
- Effective protection against corrosion

Arvina OGO	Product Code
4.5kg Pail	M325045
18kg Pail	M325060

Arvina OG2	Product Code
4.5kg Pail	M325545
18kg Pail	M325560



Molyslip® WRL wire rope lubricants

Premium-performance wire rope lubricants

The Molyslip® WRL range of premium-performance wire rope lubricants includes products to suit every environment and method of application.

WRL-E40

EU Ecolabel and VGP-compliant lubricant

- Biodegradable EU Ecolabel compliant lubricant
- High-load carrying and wear-reduction capability protects wires and strands from wear
- Excellent corrosion resistance protects ropes operating in wet/humid conditions
- Adhesive, tenacious film extends re-lubrication intervals
- Fully compliant with USA VGP 2013

WRL-E40	Product Code
18kg Pail	M336560



WRL-C5

Multi-purpose wire rope lubricant

- High load carrying and wear reduction capability protects wires and strands from wear
- Excellent corrosion resistance protects ropes operating in wet and humid conditions
- Highly adhesive, tenacious film extends re-lubrication intervals
- Excellent low temperature flexibility prevents flaking and cracking

WRL-C5	Product Code
400ml Aerosol	M379004
4.5kg Pail	M379045
18kg Pail	M379060



WRL-S SERIES

Pseudoplastic wire rope lubricants

- Pseudoplastic rheology optimises penetration and retention within the rope
- High-load carrying and wear-reduction capability protects wires and strands from wear
- Excellent corrosion resistance, protects ropes operating in wet and humid environments
- Highly adhesive, tenacious film extends re-lubrication intervals
- Resistant to water wash-off
- Excellent low-temperature flexibility prevents flaking and cracking

WRL-S10

A translucent grade designed to allow easy rope inspection.

WRL-S10	Product Code
18kg Pail	M334060



WRL-S15

A sprayable grade designed for easy application.

WRL-S15	Product Code
20ltr Poly Container	M335015



WRL-S20

A graphite-reinforced version providing enhanced load carrying properties for high-load applications.

WRL-S20	Product Code
18kg Pail	M336060



Molyslip® general maintenance lubricants

Premium-performance general purpose lubricants

Premium-performance products that protect metal components against wear, corrosion and fatigue.

LQG 

Liquid spray grease

- Convenient aerosol application
- Excellent penetration properties
- Good load-carrying and anti-wear capability
- Effective protection against corrosion
- Multi-angle valve ensuring application to inaccessible areas

LQG	Product Code
400ml Aerosol	M323004


400ml

OCL-E10 

Extreme-performance, synthetic chain lubricant

- Excellent resistance to thermo-oxidative degradation
- Fully synthetic to deliver outstanding lubrication at high operating temperatures
- Capable of operating at temperature up to +260°C
- Reduced lubrication frequency, increased component life

OCL-E10	Product Code
5ltr Poly Container	M430055
20ltr Poly Container	M430015



MOLYCHAIN SPRAY 

Multi-purpose chain and drive spray

- Highly-effective protection against corrosion
- Excellent anti-wear properties minimise chain wear and stretch
- Good penetration into chain pins and bushes
- Thixotropic, wash-off resistant film

MOLYCHAIN SPRAY	Product Code
400ml Aerosol	M410204

400ml



COMBAT™ SPRAY 

Multi-functional, water-displacing rust preventative and lubricant

- Excellent penetration and release properties
- High level of active ingredients
- Actively displaces moisture
- Effective protection against corrosion
- All round multi-purpose lubricant

COMBAT™ SPRAY	Product Code
400ml Aerosol	M470004

COMBAT™ SMART STRAW	Product Code
400ml Aerosol	M470104

400ml



MSS 

Multi-function food-grade silicone spray

- Clean, non-toxic, lubricating film minimises transfer
- Excellent temperature capability -50°C to +200°C
- Long lasting water and chemical resistant film
- Outstanding release properties
- H1 authorised

MSS	Product Code
400ml Aerosol	M471004

400ml

X12 SPRAY AND FLUID 

Moisture displacing indoor corrosion preventative

- Provides environmental protection during transport and storage for up to 12 months indoor and short term outdoor
- Dewatering capability facilitates application to damp surfaces
- Superior wetting gives a consistent even coating and reliable protection
- Self-healing film provides protection from incidental contact

X12	Product Code
400ml Aerosol	M420104
20ltr Poly Container	M800515

400ml

20ltr



X30 SPRAY AND FLUID 

Long-term outdoor corrosion preventative

- Provides up to 24 months outdoor storage protection
- Dewatering capability facilitates application to damp surfaces
- Superior wetting gives a consistent even coating and reliable protection
- Self-healing wax film provides protection from incidental contact

X30	Product Code
400ml Aerosol	M422004
20ltr Poly Container	M800615

400ml

20ltr

