

# Railway



# SOCOMORE offers a wide range of expert solutions for preparing and protecting metal and composite materials for the transport manufacturers and maintenance, including the railway industry.

- → All of our products are the fruit of our R&D department and our international technology partnerships.
- → We offer solutions whose environmental performances comply with regulatory evolutions in the areas of Healh, Safety and Environment (HSE).
- → Our research is steered towards programs to cut VOCs, REACH, GHS, etc.
- → The products presented in this catalog are approved by the SNCF.

# In service cleaning

### Graffiti Remover

	Product name	Description	Application method	Process temperature	Process concentration	SNCF symbols
	SOCOSOLV T3000	Gel diluting agent to remove gold-plated or silvery paints on vehicle exteriors.	Spraying, brushing or wiping	Room temperature	Undiluted	02100103 - 72100051
	SOCOSTRIP T4210 P	Thixotropic graffiti remover for painted steel and stainless steel surfaces of vehicle exteriors.	Spraying, brushing or wiping	Room temperature	Undiluted	02106914 - 02106913
	SOCOSTRIP T4212 SATWIPES	Graffiti remover for interiors and solvent for the removal of excessive sealant.	Wipes	Room temperature	Undiluted	02100127 - 02100128
	SOCOSTRIP T4213	Paint stripper for removing graffiti from metal and polyurethane and epoxy paint.	Spraying or wiping	Room temperature	Pure	02106905

### **Exterior Cleaning**

Product name	Description	Application method	Process temperature	Process concentration	SNCF symbols
SOCOCLEAN T2441 P	Alkaline detergent for vehicles exteriors and frontal faces.	Spraying, brushing or wiping	20-40°C	Undiluted	02100201 - 02100202
SOCOMUL SF	Neutral detergent for the cleaning of electrical and mechanical engine parts and inspection pits.	Foam gun	Room temperature	3-50%	72104305

# Interior Cleaning

Product name	Description	Application method	Process temperature	Process concentration	SNCF symbols
IPA 70/30 Wipes	Cleaning product for handset receivers, baby-changing tables and furniture in kitchens and bars.	Wipes	Room temperature	Pouch in the canisters	02100102 - 02100108

# Technical Maintenance

# **Additives**

Product name	Description	Application method	Process temperature	Process concentration	SNCF symbols
ADISSOL	Anti-foam surfactant addictive.	Immersion, spraying	40-80°C	0,1-1%	02100246

# **Paint Strippers**

Product name	Description	Application method	Process temperature	Process concentration	SNCF symbols
SOCOSTRIP A0212	Gel stripper for paint.	Spraying	Room temperature	Undiluted	02100244
SOCOSTRIP A4512	Paint stripper, suitable for removing a wide variety of paints.	Immersion	Room temperature	Pure	

# **Degreasing detergents**

Product name	Description	Application method	Process temperature	Process concentration	SNCF symbols
COMORAL CFP	Detergent, alkaline degreasing for the underbodies of vehicles and big works on steel.	Spraying and immersion	Room temperature	Pure	02100242
COMORAL DCP	Strong detergent, alkaline degreaser for the degreasing of electrical rotary manifolds.	Spraying	35-70°C	2-3%	02107990
COMORAL DSP	Neutralizer after descaling for water tanks and pipework.	Spraying	30-50°C	5%	02107916
COMORAL T3420 Gel	Gel alkaline degreaser for the cleaning of electrical rotary manifolds and electrical cabinets all metals.	Spraying	Room temperature	Pure	02100117, 02100118, 02100122
SOCOCLEAN T2150	Neutral degreaser for electrical and mechanical parts all materials.	Degreasing fountain	20-40°C	Pure	02100214
SOCOCLEAN T3430	Alkaline degreaser/descaler for mechanical parts all materials.	Spraying and immersion	40-80°C	3-10%	02100210
SYNCLAIR A/C	Alkaline degreaser for all metals, plastic materials, composites, glasses and paints.	Spraying immersion brushing or wiping	Room temperature to 55°C	5-20%	
SYNCLAIR A2 Gel	Degreaser for all kinds of painted and unpainted materials: steel, aluminium and alloys (2024, 7075), zinc, titanium, composite materials, glasses, polycarbonates. Suitable for dissolution of heated and hardened greases and oil.	Spraying	Room temperature	Pure	

**Degreasing Solvents** 

Description

Solvent, diluting agent for protection polish,

Solvent, diluting agent for the preparation

VOC free solvent, degreaser for mechanical

of surfaces before bonding, painting

Solvent, degreaser for mechanical

Solvent, degreaser for mechanical

Gel VOC free solvent, detergent

for persistent oily or waxy soiling.

VOC free solvent, degreaser for persistent stains,

burnt oils, oily or waxy temporary protection

products, tar and asphalt for metal parts.

electronic cards, paint and glue.

and electrical parts.

and electrical parts.

and electrical parts.

**Product** 

name

**DIESTONE DLS** 

**SOCOSOLV 96** 

**SOCOSOLV 96** 

**SATWIPES** 

**SATWIPES** 

**HYSO 93** 

Deoxiai	sing
Product	

Product name	Description	Application method	Process temperature	Process concentration	SNCF symbols
COMOROX DTL	Liquid scale remover with colored indicator for water tanks and pipework. Use COMOROX DTL as a neutralizer.	Immersion	50-60°C	10-20%	02107215

**Application** 

method

Wiping,

washing machine

Wipes

Spraying and

immersion

Fountain

Wipes

Spraying

Immersion

**Process** 

temperature

Room temperature

Room temperature

Room temperature

Room temperature

Room temperature

Room temperature

20-70°C

**Process** 

concentration

Pure

Pure

Pure

Pure

Pure

Pure

Pure

**SNCF symbols** 

72100215, 72106520,

02100130, 02100131

02101212

02100132, 02100133,

02108284

02100230

02100138

02109834

# Waterproofing and protection

Product name	Description	Application method	Process temperature	Process concentration	SNCF symbols
WADIS 5/85 🍨	Water repellent / rust dissolver VOC free for the protection of bearings after machine-wash.	Immersion, spraying	Room temperature	Pure	02100126, 02100050

**VOC free solvent** in accordance with the European legislation in force as of 1/1/2010



www.socomore.com

ZI du Prat CS 23707 Avenue Paul Dupleix 56037 VANNES Cedex Ph. +33 (0)2 97 43 76 90 Fax +33 (0)2 97 54 50 27 socomore@socomore.com